

Texilease Medique

Medique Burn Spray



SECTION 1 : Chemical Product and Company Identification

MSDS Name: Medique Burn Spray

Manufacturer Name: Texilease Medique

Address:

900 Lively Blvd

EMERGENCY PHONE: 800-634-7680

Manufacturer MSDS Revision Date:

1/2002

Trade Names:

Medique Burn Spray

Synonyms:

Aerosol Burn Spray



TOP

SECTION 2 : Hazardous Ingredients/Identity Information

Chemical Name	CAS#	Percent	
Benzocaine, USP	94-09-7	% of Mixture: 4.5	
Menthol, USP	89-79-1	% of Mixture: 0.15	
Cetylrimethylammonium Bromide	57-09-0	% of Mixture: 0.05	
Dipropylene Glycol	25265-71-8	% of Mixture: 40.3	
A-46 Hydrocarbon	68476-86-8	% of Mixture: 55.	

ACGIH TLV TWA: 1000 ppm



TOP

SECTION 3 : Physical And Chemical Characteristics

Physical State/Appearance:

Liquid
Color:
Colorless
Odor:
Slight menthol odor
pH:
Not Applicable
Vapor Pressure:
In can PSI at 70 deg F: 46
Boiling Point:
449 deg F
Solubility:
IN H2O % BY WT.: Completely miscible
Specific Gravity:
H2O=1: 1.035
Percent Volatile:
By VOL: 55%
FlashPoint:
> 200 deg F
Upper Flammable Explosive Limit:
120 deg F
Lower Flammable Explosive Limit:
Not Applicable

[TOP](#)

SECTION 4 : Fire And Explosion Hazards

Flash Point:
> 200 deg F
Flash Point Method:
Closed cup
Upper Flammable or Explosive Limit: 120 deg F
Lower Flammable or Explosive Limit: Not Applicable
Extinguishing Media:
Dry chemical or CO2
Fire Fighting Instructions:
SPECIAL FIRE and EXPLOSION PROCEDURES: Cool containers with water if exposed.
Unusual Fire Hazards:
Product packaged in aerosol form-will explode under extreme heat.

[TOP](#)

SECTION 5 : Health Hazards

Applies to All Ingredients:

Route of Exposure:

INHALATION, SKIN CONTACT, EYE CONTACT, INGESTION

Potential Health Effects:

Based on available data, repeated exposures are not anticipated to cause any significant adverse effects.

Eye Contact:

Spray can cause pain and general inflammation.

Skin Contact:

Mildly irritating.

Inhalation:

May irritate upper respiratory tract and cause numbness.

Ingestion:

May cause irritation and vomiting.



TOP

SECTION 6 : Emergency And First Aid Procedures

Eye Contact:

Flush with large amounts of water, lifting upper.

Skin Contact:

Wash areas with soap and water.

Inhalation:

Remove to fresh air.

Ingestion:

Rinse mouth, and consult a physician.



TOP

SECTION 7 : Reactivity Data

Chemical Stability:

CONDITIONS CONTRIBUTING TO INSTABILITY: Stable under normal storage conditions.

Incompatibilities with Other Materials:

Strong oxidizing agents.

Hazardous Polymerization:

CONDITIONS CONTRIBUTING TO HAZARDOUS POLYMERIZATION: Will not occur.

Hazardous Decomposition Products:

Oxides of carbon, aldehydes, and acids.



TOP

SECTION 8 : Precautions For Safe Handling

Spill Cleanup Measures:

NEUTRALIZING CHEMICAL: Flush spill area with water.

Storage:

Store in well ventilated areas, away from heat, direct sunlight, and sources of ignition. Keep away from oxidizing agents. Containers should not be dropped. Install protective caps for shipment.

PRECAUTIONARY STATEMENTS: Packaged under pressure. Do not puncture, incinerate or store above 120 deg F. Flammable. Keep away from heat source.

Waste Disposal:

Dispose of in accordance with state, local and federal regulations.

DOT Shipping Name:

Aerosol Burn Spray

DOT Hazard Class: ORM-D



TOP

SECTION 9 : Control Measures

Ventilation System:

Good general ventilation should be sufficient for most conditions.

Hand Protection Description:

GLOVES: None Required

Eye/Face Protection:

None Required

Respiratory Protection:

(Specify in detail): None Required



TOP

SECTION 10 : Other Information

MSDS Revision Date:

1/2002

Copyright© 1996-2009 Actio Corporation. All Rights Reserved.